

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

KATAFUCHI et al.

Appln. No. 09/196129

Filed: November 20, 1998

For: OXYGEN SENSING ELEMENT USED
IN AN OXYGEN SENSOR

Allowed: March 13, 2000

Issue Fee Paid: June 13, 2000

Batch No.: J50

Group Art Unit: 2855

Examiner: Dombroske

* * * * *

September 11, 2000

PETITION REQUESTING ACCEPTANCE
OF IDS FILED NOVEMBER 20, 1998The Hon. Commissioner of Patents
and Trademarks
Washington, DC 20231

Sir:

This is in response to the Supplemental Notice of Allowability dated August 8, 2000, Paper No. 9 in the above-mentioned application.

1. The undersigned calls to the Examiner's attention page 2, paragraph 2 of the Supplemental Notice of Allowability that states: "A review of the application file currently does not reveal the presence of an IDS filed on 20 November 1998. If applicants wish to rely on the 20 November 1998 date, it would be necessary to timely file a grantable petition requesting the acceptance... of the 20 November 1998 IDS, supported by appropriate evidence."

2. Enclosed please find such "appropriate evidence" as a copy of a stamped PTO card that shows the IDS being filed at and received by the PTO on November 20, 1998.

KATAFUCHI et al. -- Appl. No. 09/196,129

3. The Examiner misunderstood the Applicants as indicating that the 30 March 2000 IDS was a copy of the filed 20 November 1998 IDS. In order to clarify this misunderstanding, Applicants note that the 30 March 2000 IDS is not a copy of the filed 20 November 1998 IDS. Applicants simply intended to indicate to the Examiner that a request for returned of the 20 November 1998 IDS was filed on 30 March 2000. Enclosed please find a copy of the filed 20 November 1998 IDS letter and PTO Form-1449.

4. Consideration of the foregoing and enclosures plus the return of a copy of the enclosed Form PTO-1449 with the Examiner's initials in the left column per MPEP 609 are earnestly solicited along with an early action on the merits.

5. The required petition fee is filed herewith. Should that fee be missing or inadequate, please charge the deficiency to our Deposit Account No. 03-3975 under Order No. 60388/257863 for which purpose this paper is submitted in duplicate.

Respectfully submitted,

Pillsbury Madison & Sutro LLP

By: 

Glenn J. Perry

Reg. No. 28,458

Telephone: (202) 861-3070

Fax No.: (202) 822-0944

GJP/WGB

Pillsbury Madison & Sutro
1100 New York Avenue, N.W.
Ninth Floor, East Tower
Washington, D.C. 20005-3918
(202) 861-3000

PAT-103 11/97 PTO RECEIPT FOR INDICATED ITEMS

Appln. No: 9 /

Inventor(s) KATAFUCHI, et al.

Title: OXYGEN SENSING ELEMENT USED IN A

ENCLOSED: OXYGEN SENSOR

Atty G.J. PerryDate 11/20/98C# 60388H# 257863

Amendment
1 No. of Pages Abstract
54 No. of Pages Spec and Claims
14 No. of numbered Claims only
X Declaration (3 #pgs)
X Assignment [X] Cover Sheet
No. of Priority Documents
25 No. Sheets Drawings (Fig(s) 1 to 34) [XX] 1 set Formal
[XX] IDS Letter [XX] citing App. [] Foreign sch rept./OA
[XX] PTO-1449 [XX] cited docs.
\$ 800 Fee (Check)
Other:

U.S. PTO
09/196129
11/20/98

November 20, 1998

CURRENT DUE DATE: